EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("20040134058" | "6029879").PN.	US-PGPUB; USPAT	OR	ON	2008/01/04 11:16
S2	122	friction near2 (stir churn cone) near3 weld$3 same (jig holder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 11:36
S3	1892	228/2.1,4.5,112.1,114.5.ccls.	US-PGPUB; USPAT	OR	ON	2008/01/07 11:07
S4	883	228/2.1,4.5,112.1,114.5.ccls. and (jig support work-holder)	US-PGPUB; USPAT	OR	ON	2008/01/07 11:07
S5	33	228/2.1,4.5,112.1,114.5.ccls. and (jig support work-holder) with recess	US-PGPUB; USPAT	OR	ON	2008/01/07 11:13
S6	12	("4144110" | "5460317" | "5794835" | "5829664" | "5975406" | "6045028" | "6068178" | "6070784" | "6102636" | "6168066").PN. OR ("6360937").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/07 11:30
S7	8	((TOSHIHIRO) near2 (MURAKAWA)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/07 11:52
S8	2	((TAISEI) near2 (WAKISAKA)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/07 11:52
S9	7	((SATOSHI) near2 (OHKUBO)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/07 11:53
S10	145	228/2.1,4.5,112.1,114.5.ccls. and (mov$5 displac$5 postion$5) adj3 (jig support work-holder)	US-PGPUB; USPAT	OR	ON	2008/01/07 13:58
S11	1	228/2.1,4.5,112.1,114.5.ccls. and displac$4 adj3 jig	US-PGPUB; USPAT	OR	ON	2008/01/07 14:10
S12	24	228/2.1,4.5,112.1,114.5.ccls. and align$4 near3 support	US-PGPUB; USPAT	OR	ON	2008/01/07 14:10
S13	5	228/2.1,4.5,112.1,114.5.ccls. and align$4 near3 jig	US-PGPUB; USPAT	OR	ON	2008/01/07 14:10
S14	1	align$5 near2 jig and friction adj stir	US-PGPUB; USPAT	OR	ON	2008/01/07 14:13
S15	2361	align$5 near2 jig	US-PGPUB; USPAT	OR	ON	2008/01/07 14:13
S16	71	align$5 near2 jig with recess	US-PGPUB; USPAT	OR	ON	2008/01/07 14:13
S17	6725	(adjustable displacable) with support same weld$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/07 15:18
S18	2221	(adjustable displacable) near2 (support jig) same weld$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/07 15:19

S19	4	(adjustable displacable) near2 (support jig) same friction near2 weld$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/07 15:19
S20	2	align$5 near2 ("work piece" work adj piece) same friction near2 weld $3	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/07 15:36
S21	2	align$5 near2 ("work piece" (work adj piece)) same friction near2 weld$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/07 15:36
S22	2	align$5 near2 ("work-piece" work adj piece) same friction near2 weld $3	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/07 15:37
S23	51	jig same friction near2 weld$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/07 15:37
S24	646	228/2.1,4.5,112.1,114.5.ccls. and align$4	US-PGPUB; USPAT	OR	ON	2008/01/08 15:33
S25	33	(friction near3 (stir churn agitation) near2 weld$3 with (jig support holder) with (displac$5 mov$5 align$4)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 07:55
S26	5	(friction near3 (stir churn agitation) near2 weld$3 with (probe pin) with (recess cavity)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 08:15
S27	8	(friction near3 (stir churn agitation) near2 weld$3 same (probe pin) same (recess cavity)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 08:18
S28	0	(friction near3 (stir churn agitation) near2 weld$3 and (self auto) near2 align$4).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 08:35
S29	1	(friction near3 (stir churn agitation) near2 weld$3 and alignment and (probe pin) and (recess cavity)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 08:42
S30	24	(friction near3 (stir churn agitation) near2 weld$3 and (probe pin) and (recess cavity)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 08:45
S31	1	(friction near3 (stir churn agitation) near2 weld$3 and (placement aligment) near3 (jig support holder)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 08:48
S32	86	(friction near2 (stir churn cone) near3 weld$3 same (jig holder support)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 08:57

| S33 | 732 | 156/73.5.ccls. | US-PGPUB;
USPAT;
USOCR; FPRS;
EPO; JPO;
DERWENT;
IBM_TDB | OR | ON | 2008/01/09
12:59 |

1/10/2008 10:44:32 AM
C:\ Documents and Settings\ ndaniello\ My Documents\ EAST\ Workspaces\ frictionJIG.wsp